

3.2M XAAR128 SOLVENT PRINTER

	XR3218+ (6color)	XR-3216	XR-3212	XR-3208
Print Technology	Drop-On-Demand Piezo Electric			
Print Head	18 pieces (XAAR128-360)	16 pieces (XAAR128-360)	12 pieces (XAAR128-360)	8 pieces (XAAR128-360)
Print Width	3.2m wide	3.2m wide	3.2m wide	3.2m wide
Resolution	720dpi Max	720dpi Max	720dpi Max	720dpi Max
Speed	2pass 53m ² /h	2pass 59m ² /h	2pass 49m ² /h	2pass 34m ² /h
	3pass 35m ² /h	3pass 41m ² /h	3pass 36m ² /h	3pass 28m ² /h
	4pass 26m ² /h	4pass 32m ² /h	4pass 28m ² /h	4pass 18m ² /h
	6pass 20m ² /h	6pass 26m ² /h	6pass 18m ² /h	6pass 14m ² /h
	8pass 16m ² /h	8pass 22m ² /h	8pass 12m ² /h	8pass 10m ² /h
Locating Mode	Raster/Servo			
Color	CMYK LC LM	CMYK	CMYK	CMYK
Media Width	3.3m	3.3m	3.3m	3.3m
Media Handle	Roll To Roll			
Media Type	Vinyl Sheet And Carpet Paper, Flex Banner, PVC, Mesh Fabrics.			
Ink	Solvent-Base Pigment Two-Year Outdoor Life			
File Format	TIFF,RGB and others			
Working Process	Maintop Software For Printing Windows 98 and Windows XP			
RIP	Maintop/Onyx/Photoprint			
Power Supply	50Hz/60Hz, 220V(±10%)>15A			
Operation Environment	(Temperature):18°C-26°C (Humidity):40%-70%			
Packing size	4.7mx0.8mx1.5m	4.7mx0.8mx1.5m	4.7mx0.8mx1.5m	4.7mx0.8mx1.5m
Weight	650kg	650kg	650kg	650kg

2.5m Xaar128 Solvent Printer:

	XR2504	XR-2506	XR-2508
Print Technology	Drop-On-Demand Piezo Electric		
Print Head	4 pieces (XAAR128-360)	6 pieces (XAAR128-360)	8 pieces (XAAR128-360)
Print Width	2.5m wide	2.5m wide	2.5m wide
Resolution	720dpi Max	720dpi Max	720dpi Max
Speed	2pass 26m ² /h	2pass 26m ² /h	2pass 33m ² /h

Administración

Nextel: 830*6981 RPM: #965815016 RPC: 994631205 E-mail: ventas@vtsac.com

	3pass 18m ² /h	3pass 18m ² /h	3pass 27m ² /h
	4pass 14m ² /h	4pass 14m ² /h	4pass 17m ² /h
	6pass 10m ² /h	6pass 10m ² /h	6pass 13m ² /h
	8pass 7m ² /h	8pass 7m ² /h	8pass 9m ² /h
Locating Mode	Raster/Servo		
Color	CMYK	CMYK LC LM	CMYK
Media Width	2.52m	2.52m	2.52m
Media Handle	Roll To Roll		
Media Type	Vinyl Sheet And Carpet Paper, Flex Banner, PVC, Mesh Fabrics.		
Ink	Solvent-Base Pigment Two-Year Outdoor Life		
File Format	TIFF,RGB and others		
Working Process	Maintop Software For Printing Windows 98 and Windows XP		
RIP	Maintop/Onyx/Photoprint		
Power Supply	50Hz/60Hz, 220V(±10%)>15A		
Operation Environment	(Temperature):18°C-26°C (Humidity):40%-70%		
Packing size	4.2mx0.8mx1.5m	3.4mx0.8mx1.5m	3.4mx0.8mx1.5m
Weight	500kg	500kg	500kg

2m Xaar128 Solvent Printer:

	XR2004	XR-2006	XR-2008
Print Technology	Drop-On-Demand Piezo Electric		
Print Head	4pieces (XAAR128-360)	6 pieces (XAAR128-360)	8 pieces (XAAR128-360)
Print Width	1.8m wide	1.8m wide	1.8m wide
Resolution	720dpi Max	720dpi Max	720dpi Max
Speed	2pass 24m ² /h	2pass 24m ² /h	2pass 32m ² /h
	3pass 16m ² /h	3pass 16m ² /h	3pass 26m ² /h
	4pass 12m ² /h	4pass 12m ² /h	4pass 16m ² /h
	6pass 8m ² /h	6pass 8m ² /h	6pass 12m ² /h
	8pass 6m ² /h	8pass 6m ² /h	8pass 8m ² /h
Locating Mode	Raster/Servo		
Color	CMYK	CMYK LC LM	CMYK
Media Width	1.82m	1.82m	1.82m
Media Handle	Roll To Roll		
Media Type	Vinyl Sheet And Carpet Paper, Flex Banner, PVC, Mesh Fabrics.		
Ink	Solvent-Base Pigment Two-Year Outdoor Life		

File Format	TIFF,RGB and others		
Working Process	Maintop Software For Printing Windows 98 and Windows XP		
RIP	Maintop/Onyx/Photoprint		
Power Supply	50Hz/60Hz, 220V(±10%)>15A		
Operation Environment	(Temperature):18°C-26°C (Humidity):40%-70%		
Packing size	3.4mx0.8mx1.5m	3.4mx0.8mx1.5m	3.4mx0.8mx1.5m
Weight	400kg	400kg	400kg